

EXTENSION OF AUTHORISATION FOR A MINOR USE OF A PLANT PROTECTION PRODUCT

PLANT PROTECTION PRODUCTS REGULATION (EC) No. 1107/2009

Product name: Prestop

Active ingredient: 32 % w/w gliocladium catenulatum

MAPP number: 17223

Product authorisation holder: Verdera Oy (Registered Company no. 0220917-4)


Marketing company: Everris Ltd

This Extension of authorisation ends: on the final expiry date of use for the authorised product (unless otherwise stated)

If the authorisation of the above product is withdrawn or amended before the end date above, this Extension of authorisation will end on the same date as the authorisation for the product. This Extension of authorisation will be withdrawn or amended before its end date if a decision is taken to withdraw or amend this Extension of authorisation under Regulation (EC) No 1107/2009 on any other grounds.

Extent of authorisation: United Kingdom

This extension of authorisation for minor uses applies to all UK parallel trade products issued under Article 52 of Regulation (EC) No 1107/2009 for which Prestop with MAPP 17223 is the reference product.


Signed by: Wayne McLeod
Signing time: Thursday, November 19 2015, 15:42:21 GMT
Location: CRD York
Reason to sign: For the Health and Safety Executive

HSE Digital Signature

This and the attached Appendices 1 and 2 are signed by the Health and Safety Executive (“HSE”) for and on behalf of the Secretary of State, the Welsh Ministers, the Scottish Ministers and the Department of Agriculture and Rural Development in Northern Ireland.

Date of issue: 19 November 2015

EXPLANATORY NOTES

1. This is Extension of authorisation number 2773 of 2015 and supersedes 2676 of 2015
2. This Extension of authorisation will be published on the website of the Chemicals Regulation Directorate of the HSE.
3. Application reference number: COP 2011/00603
4. Persons using the product to which this Extension of authorisation applies should acquaint themselves with and observe all requirements contained in the Regulation (EC) No 1107/2009, including the duty on the holder of any Extension of authorisation to notify information on potentially dangerous effects, a contravention of which is a criminal offence under those Regulations.
5. Neither the efficacy nor the phytotoxicity of the product for which this Extension of authorisation has been granted has been assessed and, as such, the user bears the risk in respect of failures concerning its efficacy and phytotoxicity.

ADVISORY INFORMATION

This Extension of Authorisation relates to the use of 'Prestop' (M17223) for the control of *Pythium spp.*, *Phytophthora spp.*, *Fusarium spp.*, and *Rhizoctonia* in various horticultural crops via drench application and by direct incorporation into growth medium, and the control of *botrytis spp.* in various horticultural crops via foliar spray applications.

Growers are advised to test 'Prestop' on a small area of crop prior to wider commercial use

This notice has been re-issued to correct the uses on outdoor herbs. Notice 20152676 which will be withdrawn immediately.

APPENDIX 1: CONDITIONS OF EXTENSION OF AUTHORISATION

The conditions below are obligatory. They must be complied with when the Extension of authorisation occurs. Failure to comply with the following conditions will result in the withdrawal or amendment of the Extension of authorisation under Regulation (EC) No 1107/2009 and may result in other enforcement action, including prosecution. For the purposes of this Extension of authorisation only, the conditions and/or requirements shown below supersede any corresponding conditions and/or requirements set out on the label or otherwise provided for under the product authorisation **which would otherwise apply**.

Use:

Field of use: **ONLY AS A FUNGICIDE**

User: Professional

Crops/situations:	Maximum individual dose:	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Outdoor crops of almond, angelica, apple, apricot asparagus, baby leaf crops, balm, basil, bay, beans without pods - fresh, bilberry, blackcurrant and redcurrant, blueberry, broad bean - fresh, broccoli / calabrese, Brussels sprout, bulb vegetables, cabbage, cane fruit, caraway leaves, cardoon, carrot, cauliflower, celeriac, celery, celery leaves, cherry chervil, chestnut, chicory root, chives, choi sum, collard, coriander leaves, cranberry, cress, dill leaves, dwarf French bean, edible flowers, edible podded pea, endive, fennel leaves, Florence fennel, fruiting vegetables, Globe artichoke, gooseberry, hazelnut herb - other, hops, horseradish, hyssop, Jerusalem artichoke, kale, kohlrabi, lamb's lettuce, land cress, leek, lentil (fresh), lettuce, lovage leaves, marjoram, medlar mint, oregano, oriental cabbage, ornamental plant production, parsley, parsley root, parsnip, peach and nectarine, pear, plum, quince, radish, red beet, rhubarb, rocket, rosemary, runner bean, sage, salad burnet, salsify, savory, seakale, soya bean (fresh), spinach, spinach beet, swede, sweet cicely, table grapes, tarragon, thyme, turnip, vining pea, walnut, wine grapes	6 kg product / ha (applied as a spray to bare soil)	-	1	pre-crop emergence, pre-planting, sowing or drilling

Crops/situations:	Maximum individual dose:	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Outdoor crops of almond, angelica, apple apricot asparagus, baby leaf crops, balm, basil, bay, beans without pods - fresh, bilberry, blackcurrant and redcurrant, blueberry, broad bean (fresh), broccoli / calabrese, Brussels sprout, bulb vegetables, cabbage, cane fruit, caraway leaves, cardoon, carrot, cauliflower, celeriac, celery, celery leaves, cherry chestnut chervil, chicory root, chives, choi sum, collard, coriander leaves, cranberry, cress, dill leaves, dwarf French bean, edible flowers, edible podded pea, endive, fennel leaves, Florence fennel, fruiting vegetables, Globe artichoke, gooseberry hazelnut herb - other, hops, horseradish, hyssop, Jerusalem artichoke, kale, kohlrabi, lamb's lettuce, land cress, leek, lentil (fresh), lettuce, lovage leaves, marjoram, medlar mint, oregano, oriental cabbage, ornamental plant production, parsley, parsley root, parsnip, peach and nectarine, pear, plum, radish, red beet, rhubarb, rocket, rosemary, runner bean, sage, salad burnet, salsify, savory, seakale, soya bean, spinach, spinach beet, swede, sweet cicely, table grapes, tarragon, thyme, turnip, vining pea, walnut, wine grapes	500 g product / 100 litres water applied as a drench (See Other Specific Restriction 3)	-	3	-

Crops/situations:	Maximum individual dose:	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Outdoor crops of almond, angelica, apple, apricot, asparagus, baby leaf crops, balm, basil, bay, beans without pods - fresh, bilberry, blackcurrant and redcurrant, blueberry, broad bean (fresh), broccoli / calabrese, Brussels sprout, bulb vegetables, cabbage, cane fruit, caraway leaves, cardoon, carrot, cauliflower, celeriac, celery, celery leaves, cherry chervil, chestnut chicory root, chives, choi sum, collard, coriander leaves, cranberry, cress, dill leaves, dwarf French bean, edible flowers, edible podded pea, endive, fennel leaves, Florence fennel, fruiting vegetables, Globe artichoke, gooseberry, hazelnut herb - other, hops, horseradish, hyssop, Jerusalem artichoke, kale, kohlrabi, lamb's lettuce, land cress, leek, lentil (fresh), lettuce, lovage. leaves, marjoram, medlar mint, oregano, oriental cabbage, ornamental plant production, parsley, parsley root, parsnip, peach and nectarine, pear, plum, quince, radish, red beet, rhubarb, rocket, rosemary, runner bean, sage, salad burnet, salsify, savory, seakale, soya bean, spinach, spinach beet, swede, sweet cicely, table grapes, tarragon, thyme, turnip, vining pea, walnut, wine grapes	500 g product / m ³ growth medium (See Other Specific Restriction 4)	-	1	Pre-planting, sowing or drilling

Crops/situations:	Maximum individual dose:	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Outdoor crops of asparagus, cardoon, carrot, celeriac, celery, chicory root, Florence fennel, Globe artichoke, horseradish, Jerusalem artichoke, leek, parsley root, parsnip, radish, red beet, rhubarb, salsify, seakale, swede, turnip	6 kg product / ha (applied as a foliar spray)	-	3	-
Outdoor angelica, outdoor baby leaf crops, outdoor balm, outdoor basil, outdoor bay, outdoor beans without pods - fresh, outdoor broad bean (fresh), outdoor broccoli / calabrese, outdoor Brussels sprout, outdoor cabbage, outdoor caraway leaves, outdoor cauliflower, celery leaves, chervil, outdoor chives, outdoor choi sum, outdoor collard, outdoor coriander leaves, outdoor cress, outdoor dill, outdoor dwarf French bean, outdoor edible flowers, edible podded pea, outdoor endive, fennel leaves, outdoor herb - other, outdoor hyssop, outdoor kale, outdoor kohlrabi, outdoor lamb's lettuce, outdoor land cress, outdoor lentil (fresh), outdoor lettuce, outdoor lovage leaves, outdoor marjoram, outdoor mint, outdoor oregano, outdoor oriental cabbage, outdoor parsley, outdoor rocket, outdoor rosemary, outdoor runner bean, outdoor sage, outdoor salad burnet, outdoor savory, outdoor soya bean, outdoor spinach, outdoor spinach beet, outdoor sweet cicely, outdoor tarragon, outdoor thyme, outdoor vining pea	6 kg product / ha (applied as a foliar spray)	-	3 (See Other Specific Restriction 5)	-

Crops/situations:	Maximum individual dose:	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Outdoor bulb vegetables	6 kg product / ha (applied as a foliar spray)	-	3 (See Other Specific Restriction 6)	before the development of harvestable vegetative plant parts stage (GS40)
Outdoor fruiting vegetables	6 kg product / ha (applied as a foliar spray)	-	3 (See Other Specific Restriction 7)	before first fruit on main stem has reached typical size and form (BBCH 71)
Outdoor hops	6 kg product / ha (applied as a foliar spray)	-	3	before the beginning of cone development : 10% of inflorescences are cones (BBCH 71)
Outdoor crops of table grapes, wine grapes	6 kg product / ha (applied as a foliar spray)	-	3 (See Other Specific Restriction 8)	before the ripening of berries stage (GS80)

Operator Protection:

- (1) When used via broadcast air-assisted sprayers, spray equipment must only be used where the operator's normal working position is within a closed cab on a tractor or on a self-propelled sprayer.
- (2) Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:
- (3) Operators must wear suitable protective clothing (coveralls), suitable protective gloves and suitable

respiratory protective equipment* when handling the product or applying the product. *Disposable filtering facepiece respirator to at least EN149 FFP3 or equivalent.

- (4) However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

Environmental protection:

Since there is a risk to aquatic life from use, users not applying the statutory buffer zone must either themselves carry out, or ensure that someone else has carried out a Local Environment Risk Assessment for Pesticides (LERAP) on their behalf before each spraying operation from a broadcast air-assisted sprayer. For broadcast air-assisted applications to wine grapes, table grapes and hops users must not allow direct spray from such sprayers to fall within 10m of the top of the bank of any static or flowing waterbody or within 5m of a ditch which is dry at the time of application (these distances to be measured as set out in Pesticides Safety Directorate's booklet 'Local Environment Risk Assessment for Pesticides - Broadcast Air-assisted Sprayers' - and any amendments that are made to it) unless:

- (a) The LERAP indicates that a narrower buffer zone will be sufficient; and
- (b) Any measures indicated by the LERAP as justifying the narrower buffer zone are complied with in full and in accordance with any conditions applicable to them.

Spray must be aimed away from water.

Other specific restrictions:

- (1) This product must only be applied in accordance with the terms of this extension of authorisation, the product label and/or leaflet and any additional guidance on extensions of authorisation.
- (2) A minimum interval of 7 days must be observed between applications.
- (3) When applied as a soil drench a maximum concentration of 500g product per 100 litres water must not be exceeded.

- (4) When applied as a growth media incorporation the maximum concentration must not exceed 500g product per cubic metre of growth media.
- (5) Applications to the above crops which fall in to the Parent Groups of 'brassica vegetable', 'leaf vegetables' and 'fresh herbs' and legume vegetables (fresh) as described in the 'Crop Definition List' must not be made until the start of the inflorescence emergence stage (BBCH 50)
- (6) Applications to bulb vegetables must not be made until after crop emergence (BBCH 9)
- (7) Applications to fruiting vegetables must not be made until after the start of inflorescence emergence stage (BBCH 50)
- (8) Applications to table and wine grapes must not be made until inflorescences are emerging (BBCH 50)

APPENDIX 2: GENERAL CONDITIONS FOR AN EXTENSION OF AUTHORISATION

Failure to comply with the following conditions will result in the withdrawal or amendment of the Extension of authorisation under Regulation (EC) No 1107/2009 and may result in other enforcement action, including prosecution.

Adverse effects:

The authorisation holder must immediately notify the Secretary of State, the Scottish Ministers and the Department of Agriculture and Rural Development in Northern Ireland (care of the Health and Safety Executive), if they have any new information on the potentially adverse effects of the authorised product, or of residues of an active substance in that product when used in accordance with the conditions of this Extension of authorisation. For those products authorised under Regulation (EC) No 1107/2009 authorisation holders must also tell the other relevant competent authorities of the EC Member States (a list of which is available from the Health and Safety Executive) and the EC Commission. Failure to comply with this requirement is an offence.

Provision of information:

The authorisation holder must comply with all requests for information required by, or on behalf of, the Secretary of State, the Scottish Ministers or the Department of Agriculture and Rural Development in Northern Ireland in accordance with Regulation (EC) No 1107/2009.